

### Index to Travelling Set of Australian Algae Book 0

BOOK	TYPE	NO.	Sp. NO.	PLACE	NAME	ADDITIONAL INFORMATION
0		1		Tasmania	Unidentified	
0		2	406	Phillip Island	<i>Desmarestia ligulata</i>	
0		3	407	Phillip Island	<i>Sporochnus</i>	
0		4	407	Port Philip	<i>Sporochnus pedunculatum?</i>	
0		5		Fremantle	Unidentified	
0		6		Parancalta R.	<i>Sporochnus moorei</i>	
0		7	13	King George's Sound	Unidentified	
0		8	13?	Fremantle	Unidentified	
0		9	577	Port Arthur	<i>Adenocystis durvillai</i>	
0		10	27	Rottenest	<i>Asperococcus sinuosus</i>	
0		11	323	King George's Sound	<i>Chorda lomentaria</i>	
0		12	183	Rottenest	<i>Hydroclathrus cancellatus</i>	
0		13	411	Phillip Island	<i>Pantaria latifolia</i>	
0		14	26	King George's Sound	<i>Asperococcus turneri</i>	
0		15	21	King George's Sound	<i>Metachroma thuyoides</i>	
0		16	25	King George's Sound	<i>Stilophora lyngbyei</i>	
0		17	225	Rottenest	<i>Dictyota kunthii</i>	Young
0		18	225	Rottenest	<i>Dictyota kunthii</i>	
0		18	81	King George's Sound	Unidentified	
0		19		Georgetown	Unidentified	
0		20	184	Rottenest	<i>Dictyota radicans</i>	Sori
0		21	184	Garden Islands	<i>Dictyota radicans</i>	
0		22		Garden Islands	Unidentified	Unique
0		23	15	King George's Sound	Unidentified	
0		24	15	Rottenest	<i>Dictyota dichotoma</i>	
0		25	15 & 154	Rottenest	Unidentified	Mixture

0		26	154	Carnac Island	<i>Dictyota ciliata</i>	
0						
0		27	24	King George's Sound	<i>Dictyota furcellata</i>	= <i>Pachydictyon furcellatum</i> H.B.S Womersley 16 <sup>th</sup> June 1952
0		28		Rottneest	Unidentified	( 7 Sp )
0		29		Rottneest	Unidentified	
0		30	14	Garden Island	<i>Dictyota paniculata</i>	
0		31		Rottneest	Unidentified	
0		32	155	Fremantle	<i>Haliseris pardalis</i>	MS
0		33	462	Geelong	<i>Cutleria multifida</i>	
0		34	102	Fremantle	<i>Haliseris mulleri</i>	( <i>fucoides</i> )
0		35		Port Phillip	<i>Haliseris mulleri</i>	
0		36	158	Rottneest	<i>Padina fraseri</i>	young
0		37	455	Port Phillip Head	<i>Padina pavoni</i>	
0		38	158	Fremantle	<i>Padina fraseri</i>	
0		39	49	Fremantle	<i>Zonaria nigrescens</i>	
0		40	49	King George's Sound	<i>Zonaria nigrescens</i>	
0		40bis	582	Newcastle,N.S.W.	<i>Z.laciniata</i>	H. ms
0		41	295	Rottneest	<i>Zonaria interrupta</i>	
0		41bis		Rottneest	Unidentified	
0		42	295	Cape Riche	<i>Zonaria interrupta</i>	
0		43	535	Port Fairy	<i>Mesoglosia virescens</i>	
0		44	538	Port Fairy	<i>Mesoglosia</i>	
0		45	454	Port Phillip Head	<i>Liebmannia</i>	Sp? P. Spores
0		46		Georgetown (Van diemens land)	<i>Liebmannia</i>	
0	TYPE	47	537	Port Fairy	<i>Cladosiphon dictyosiphon</i>	
0		48	17	King George's Sound	Unidentified	
0		49	490	Port Phillip	<i>Cladosiphon chordaria</i>	12-14 inches high
0		50	579	Tasmania, Georgetown VDL	<i>Ectocarpus</i>	On hormosina

0		51	456		<i>Leathesia umbellata</i>	Parasite on <i>Cyst. paniculata</i>
0		52	457	Port Phillip Head	<i>Leathesia</i>	Parasite on <i>F. chondrophyllum</i>
0		53	412	Phillip Island	<i>Leathesia tuberiformis</i>	
0		54	578	Georgetown	<i>Myrionema leclancherii</i>	
0		55	322	"Duck Rock", Rottenest	<i>Ectocarpus siliculosus</i>	
0		56	322	Cape Riche	<i>Ectocarpus siliculosus</i>	b. Sp?
0		57	322	King George's Sound	<i>Ectocarpus siliculosus</i>	
1		1	44	Rottnest Garden Island	<i>Pterocladia lucida</i>	
1		2			Unidentified	
1		3	44	King George's Sound	<i>Pterocladia lucida</i>	
1		4	372	Phillip Island	<i>Gelidium asperum ?</i>	
1		5	510	Port Fairy	<i>Gelidium glandulifolium</i>	
1		6		Rottnest	<i>Gelidium</i>	
1		7	43	King George's Sound	<i>Gelidium corneum</i>	
1		8		Port Jackson	<i>Solieria chordalis ?</i>	
1		9			Unidentified	
1		10	150		<i>Solieria australis</i>	
1		11	232	Fremantle	<i>Eucheuma speciosum</i>	"Jelly"
1		12	22	Rottnest	<i>Hypnea</i>	tetraspores
1		13	252	Rottnest	<i>Hypnea episcopalis</i>	Concepticulosa
1		14	252	Rottnest	Unidentified	Tetraspores, stem (Drawing)
1		15	364	Phillip Island	<i>Hypnea fastigiata</i>	<i>Hypnea?</i> Sp.
1		16	16	Rottnest	<i>Hypnea</i>	
1		17	253	Rottnest	<i>Hypnea</i>	
1		18	69?	Port Phillip	<i>Hypnea divaricata?</i>	
1		19	69	King George's Sound	<i>Hypnea ?</i>	Tetraspores
1		20	70	Rottnest	<i>Hypnea seticulosa</i>	conceptical
1		21	70	Rottnest	<i>Hypnea seticulosa</i>	
1		22	70	King George's Sound West Port	<i>Hypnea seticulosa</i>	

1		23	370	Phillip Island	<i>Hypnea planicaulis</i>	∅.c.
1	TYPE	24	168	Rottnest	<i>Hennedya crispa</i>	
1		25	371	Western Port	<i>Acrotylus australis</i>	
1		26	234	Rottnest	<i>Helminthora divaricata</i>	
1		27	377	Western Port	<i>Plocamium costatum</i>	
1		28	259	Rottnest	<i>Plocamium mertensii</i>	
1		29	140		<i>Plocamium mertensii</i>	Fruit proliferum
1		30	86	Rottnest	<i>Plocamium preissianum</i>	
1		31	376	Phillip Island	<i>Plocamium angustum</i>	
1		32	72	Rottnest	<i>Plocamium coccineum</i>	∅.c.
1		33		Rottnest	Unidentified	
1		34	72	Tasmania	<i>Plocamium coccineum</i>	var. <i>flexuosum</i>
1		35			Unidentified	
1		36	379	Phillip Island	<i>Rhodophyllis membranacea</i>	Fimbriata B
1		37	429	Georgetown (Van Diemens Land)	<i>Rhodophyllis gunnii</i>	∅.c.
1		38	429	Pt. Phillip Head	<i>Rhodophyllis gunnii</i>	
1		39	145	Garden Island	<i>Rhodophyllis bifida</i>	Cystocarpia + Tetrasporia
1	TYPE	40	142	Rottnest	<i>Rhodophyllis volans</i>	Cystocarpus
1		41	521	Port Fairy	<i>Rhodophyllis multipartita</i>	∅.c.t.
1		42	521	Port Arthur (Van Diemens Land)	<i>Rhodophyllis multipartita</i>	
1		43		Fremantle	<i>Rhodymenia ? rosea</i>	= <i>Leptosomia rosea</i> . Slide of T.S. of lectotype
1		44		King George's Sound	Unidentified	5 Sp.
1		45	519	Port Fairy	<i>Rhodophyllis</i>	∅.c.
1	LECTO TYPE	46	347	Fremantle	<i>Rhodomenia rosea</i>	= <i>Leptosomia rosea</i> . Fragment of the lectotype
1	TYPE	47	347	Fremantle	<i>Rhodymenia rosea</i>	= <i>Leptosomia cliftoni</i>
1		48	375	Phillip Island Western Port	<i>Hymenocladia usnea</i>	∅.c.
1		49	68	King George's Sound	<i>Hymenocladia divaricata</i>	Tetr.

1		50	68	King George's Sound	<i>Hymenocladia divericata</i>	♂.c.
1		51	383	Phillip Island WP	<i>Cordylecladia australis</i>	n. sp. (new species)
1		52	437	Pt. Phillip Head	<i>Rhodymenia polymorpha</i>	
1		53	437	Pt. Phillip Head	<i>Rhodymenia polymorpha</i>	
1		54	238	Rottneest	<i>Rhodymenia phyllophora</i>	
1		55	233	Rottneest	<i>Rhodymenia elata</i>	
1		56	144		<i>Rhodymenia australis</i>	<i>Acropeltes australis</i> , ♂.t.
1		57	144	Rottneest	<i>Rhodymenia australis</i>	♂.c.
1		58	143		Unidentified	
1		59	143	Garden Island	<i>Rhodymenia obtusata</i>	
1		60	85	King George's Sound	<i>Rhodymenia corallina</i>	
1		61	85	Rottneest	Unidentified	
1	TYPE	62	139	Fremantle	<i>Rhodymenia sonderi</i>	= <i>Erythrodonium sonderi</i>
1		63	139	Phillip Island	<i>Rhodymenia sonderi</i>	
1		64	485	Port Phillip	<i>Rhabdonia coccinea</i>	
1		65	485	Georgetown	<i>Rhabdonia coccinea</i>	
1		66			<i>Areschougia ligulata</i>	<i>australis</i>
1		67			Unidentified	♂.c.
1		68	430	Port Phillip Head	<i>Areschougia conferta</i>	
1		69	236	Rottneest	<i>Areschougia laurencia</i>	
1		70	442	Port Phillip Head	<i>Erythroclonium charoides</i>	
1		71	442	Port Phillip Head	Unidentified	♂.c.
1		72	387	Brighton, Port Phillip Head	<i>Erythroclonium mulleri</i>	
1		73	387	Phillip Island	<i>Erythroclonium mulleri</i>	
1		74	386	Western Port	Unidentified	
1		75	386	Brighton, Port Phillip	<i>Erythroclonium angustatum</i>	
1	TYPE	76	192	King George's Sound	<i>Chylocladia opuntioides</i>	August
1		77		Port Jackson	Unidentified	
1		78	340	King George's Sound	<i>Chylocladia secunda</i>	

1		79	340	King George's Sound	<i>Chylocladia secunda</i>	
1		80	104	King George's Sound	<i>Chylocladia obovata</i>	
1		81	192	Rottneest	<i>Chylocladia opuntioides</i>	
1		82		Port Jackson, Paramata river	<i>Chondria uvaria</i>	
1		83	223	Rottneest	<i>Gattya pinella</i>	
1	TYPE	84	223	Rottneest	<i>Gattya pinnella</i>	Parasite on <i>sarcothalia obesa</i> , Drawing
1		85		Port Jackson	<i>Catenella opuntia</i>	
1		86		Fremantle	<i>Halosaccion firmum</i>	
1		87		King George's Sound	<i>Halosaccion hydrophora</i>	Full of slimy juice when fresh
1		88	135	Fremantle	<i>Halosaccion hydrophora</i>	
2		Envel ope 1	489B		Unidentified	
2		Envel ope 2	121		Unidentified	
2		Envel ope 3	18.7		Unidentified	Ach.....
2		Envel ope 4	10	Tonga	Unidentified	Cymbosira
2		1	443	Port Phillip Head	<i>Gigartina pinnata</i>	
2		2	444		<i>Gigartina flabellata</i>	
2		3	262	Fremantle	<i>Gigartina disticha</i>	Sond
2		4	465	Georgetown	<i>Gigartina brachiata</i>	Grateloupi , Tidal rocks and stones, p.c.
2		5	465	Geelong	<i>Gigartina brachiata</i>	
2		6	99	Cape Riche	<i>Mychodea carnosa</i>	
2		7	99	Port Phillip Head	<i>Mychodea carnosa</i>	
2		8	511	Port Fairy	<i>Mychodea harnata</i>	
2		9	42	Georgetown Van Diemens land	<i>Mychodea membranacea</i>	
2		10	42	King George's Sound	<i>Mychodea membranacea</i>	Drawing, dicot fil

2		11	427?	Georgetown	<i>Mychodea termina</i>	<i>M.laxa ?</i>
2		12	394	Phillip Island	<i>Mychodea compressa</i>	
2		13	427	Shortlands Bluff	<i>Mychodea laxa</i>	
2		14	484	Port Phillip	<i>Cryptonemia luxurians</i>	
2		15	274	Fremantle Beach	<i>Kallymenia cribrosa</i>	Drawing, outline simple or bilobed 1-2 foot wide, 12-14 inches high, Holy coat of --
2		16	392	Western Port	<i>Gymnogongrus foliosus</i>	
2		17	392	Pt. Phillip Head	<i>Gymnogongrus foliosus</i>	
2		18	440	Pt. Phillip Head	<i>Callophyllis coronata</i>	Cystocarpus , branch 2-3 feet high, drawing
2		19	384	Phillip Island	<i>Callophyllis obtusifolia</i>	
2		20	439	Pt. Phillip Head	<i>Callophyllis lamberti</i>	
2		21	390	Western Port	<i>Callophyllis expansa</i>	
2		22	390	Pt. Phillip Head	<i>Rhodymenia rosea ??</i>	Is this <i>Rhodymenia rosea</i> see t.s #347 and Wormersleys note there. MS guiry x 1976.Unique WHH Dec 1887c
2		23	390	Georgetown (VDL)	<i>Callophyllis fastigata</i>	<i>C. expansa</i>
2		24	390	Georgetown (VDL)	<i>Callophyllis expansa</i>	
2		25	151	King George's Sound	Unidentified	3-5 inches, $\phi$
2		26	137	Western Port	Unidentified	
2		27	137	Phillip Island	<i>Callophyllis coccinea</i>	
2		28	137	Phillip Island	<i>Callophyllis coccinea</i>	var <i>cornata</i>
2		29		Port Phillip	Unidentified	
2		30	385	Phillip Island	<i>Callophyllis coccinea</i>	Var?
2		31	137	Garden Island	<i>Callophyllis coccinea</i>	
2		32	263	Fremantle	Unidentified	
2		33	263	Garden Island	<i>Callophyllis coccinea ?</i>	
2		34		Rottneest	Unidentified	unique

2		35		Port Phillip Head	<i>Bindera splachnoides</i>	unique , see lectotype in main herb.
2		36	314	Fremantle	<i>Halymenia floresia</i>	unique
2		37	136	Fremantle	<i>Gelinaria ulvoides</i>	
2		38	436	Brighton , Port Phillip	<i>Horea fructiculosa</i>	
2	TYPE	39	152	Fremantle	<i>Horea halymenioides</i>	<i>Acanthococcus halymenioides</i>
2		40	438	Pt. Phillip Head	<i>Horea polycarpa</i>	
2		41	315	King George's Sound	<i>Nemastoma damaecornis</i>	Tetraspores, drawing
2	TYPE	42	315	Fremantle	<i>Nemastoma damaecornis</i>	
2		43	567	Georgetown (VDL)	<i>Nemastoma densa</i>	
2		44	395	Western Port	<i>Nemastoma feredayae</i>	
2		45	18	King George's Sound	<i>Spyridia filamentosa</i>	
2		46	18	Rottneest	<i>Spyridia filamentosa</i>	
2		47	397	Phillip Island	<i>Spyridia opposita</i>	
2		48	2	King George's Sound	<i>Centrosceros clavulatum</i>	
2		49	2	Rottneest	<i>Centrosceros clavulatum</i>	
2	TYPE	50	286	Garden Island	<i>Ceramium isagonum</i>	ø .c.
2		51	258	Western Port	<i>Ceramium rubrum</i>	
2		52	258	Rottneest	<i>Ceramium rubrum</i>	
2		53	258	King George's Sound	<i>Ceramium rubrum</i>	
2		54	66	King George's Sound	<i>Ceramium puberulum</i>	Fruit fine
2		55	66	Rottneest	Unidentified	On <i>Zostera</i>
2		56	66	Rottneest	<i>Ceramium puberulum</i>	
2		57	487	Brighton , Port Phillip	<i>Ceramium</i>	
2		58	467	Geelong	<i>Ceramium diaphanum</i>	
2		59	220	Rottneest	<i>Ceramium miniatum</i>	<i>C. filicula</i> , Parasite
2		60	285	Garden Island	<i>Ceramium australis</i>	
2		61	23	King George's Sound	<i>Ceramium gracillimum</i>	
2		62	257	Rottneest	<i>Ceramium fastigiatum</i>	
2		63	148		<i>Ptilocladia pulchra</i> β	



2		64		Garden Island	<i>Ptilocladia ?</i>	n. sp?
2		65	365	Western Port	<i>Crouania insignis</i>	favella
2		66	325	King George's Sound	<i>Dudresnaya coccinea</i>	drawing
2		67		Rottnest	<i>Crouania</i>	
2		68	321	Cape Riche	<i>Lasiothalia hirsuta</i>	2 beside this is the largest 6 inch long fronds
2		69	91	Rottnest	<i>Ptilota coralloidea</i>	
2		70	91	King George's Sound	<i>Ptilota coralloidea</i>	
2		71	523	Port Fairy	<i>Ptilota jeannerettii</i>	
2		72	523	Port Fairy	<i>Ptilota jeannerettii</i>	Cystocarpus , Tetraspores
2		73		Rottnest	Unidentified	
2		74		Rottnest	Unidentified	
2		75	92	Port Fairy	<i>Ptilota articulata</i>	∅.c.
2		76	92	King George's Sound	Unidentified	
2		77	92	Port Fairy	<i>Ptilota articulata</i>	∅.t.
2		78	522	Port Fairy	Unidentified	
2		79	522	Port Fairy	<i>Ptilota rhodocallis</i>	
2	TYPE	80	240	Rottnest	<i>Ptilota striata</i>	favella
2		81	240	Rottnest	<i>Ptilota striata</i>	Tetraspores
2		82	449	Port Phillip Head	<i>Griffithsia</i>	Sp
2		83	466	Geelong	<i>Griffithsia flabelliformis</i>	Or ? Tasmania on <i>G corallina</i> var?
2		84	449	Georgetown	<i>Griffithsia</i>	
2		85	41	Brighton , Port Phillip	<i>Griffithsia monilis</i>	
2	TYPE	86	41	King George's Sound	<i>Griffithsia ovalis</i>	
2		87	199	Port Fairy & Rottnest	<i>Griffithsia binderiana</i>	
2		88	199	Rottnest	<i>Griffithsia binderiana</i>	
2		89	199	Garden Island	<i>Griffithsia binderiana</i>	
2		90	388	Brighton , Port Phillip	<i>Griffithsia setacea ?</i>	
2		91	486	Port Phillip	<i>Corynospora pedicellata</i>	

2		92	266	Garden Island	<i>Corynospora gracilis</i>	
2		93	63	Rottnest	<i>Halophlegma preissii</i>	favella
2		94	63	Rottnest	<i>Halophlegma preissii</i>	
2		95	569	Georgetown Tamar above	<i>Halophlegma</i>	
2		96	524	Port Fairy	<i>Ballia callitricha</i>	$\beta$ <i>angustata</i>
2		97	524	Port Fairy	<i>Ballia callitricha</i>	<i>Ballia brunosis</i>
2		98	525	Port Fairy	<i>Ballia robertiana</i>	$\varnothing$ .t.
2		99	525	Port Fairy	<i>Ballia robertiana</i>	
2		100	527	Pt. Phillip Head	<i>Ballia scoparia</i>	
2		101	402	Western Port	<i>Callithamnion tingens</i>	
2		102	570	Georgetown	<i>Callithamnion comosum</i>	
2		103	200	Port Fairy	<i>Callithamnion latissimum</i>	
2		104	572	Georgetown (VDL)	<i>Callithamnion plumula</i>	
2		105	90	Port Fairy	<i>Callithamnion simili ?</i>	<i>C disimile</i> MS branch of fronds 6 inches long
2		106	468	Geelong	<i>Callithamnion flaccidum</i>	
2		107	90	Rottnest	<i>Callithamnion simile</i>	On <i>Zostara</i> qu?? 90?
2		108	90	King George's Sound	<i>Callithamnion simile</i>	
2						Drawing 1 - Parasite on <i>Griffithsia binderiana</i> Call. Horizontale ramuli horizontal in _. Drawing 2 - Upperside. Drawing 3 - In old specimens first joined develops __ flets.
	TYPE	109	254	Rottnest	<i>Callithamnion horizontala</i>	
2	TYPE	110	267	Garden Island	<i>Callithamnion verticale</i>	
2		111			<i>Unidentified</i>	
2		112		Phillip Island	<i>Unidentified</i>	Unique
2		113	533	Port Fairy	<i>Callithamnion dispar</i>	$\varnothing$ .c.
2		114	533	Port Fairy	<i>Callithamnion dispar</i>	

2		115	488	Brighton , Port Phillip	<i>Callithamnion latissimum</i>	
2		116	531	Port Fairy	<i>Callithamnion griffithsia</i>	
2		117	399	Phillip Island	<i>Callithamnion licmophorum</i>	Grows 6-8 inches high
2		118		Port Arthur	<i>Callithamnion</i>	
2		119	48	King George's Sound	<i>Callithamnion spinesens ?</i>	
2		120	48	Rottnest	<i>Callithamnion tomentellum</i>	Drawings, <i>C.spinescens</i> remelli opposite but the pears Spirally insert and so directed to all sides.
2		121		Port Jackson	Unidentified	Unique
2		122		Port Fairy	Unidentified	
2		123		Port Jackson	<i>C. secundatum</i>	Near
2		124	57	Rottnest	<i>Callithamnion thyrsigerum</i>	
2		125		Port Phillip	Unidentified	
2		126		Port Phillip	Unidentified	No more found
2	HOLO TYPE:	127	324	King George's Sound	<i>Callithamnion botryocarpum</i>	No specimens
2		128	489	Port Phillip	<i>Callithamnion roseolum</i>	On cryptonemia
2		129	401	Phillip Island	<i>Callithamnion floridulum</i>	
2		130	573		<i>Polysiphoria</i>	Floating in sea eagle hawk neck, <i>Callith. vagabondum</i>
3	TYPE	1	170	Garden Island	<i>Martensia elegans</i>	
3		2	171	Garden Island	<i>Martensia denticulata</i>	
3	TYPE	3	171	Rottnest	<i>Martensia denticulata</i>	cystocarpia
3		4	171	Rottnest	<i>Martensia denticulata</i>	
3		5	171	Rottnest	<i>Martensia denticulata</i>	
3		6	65	King George's Sound	<i>Thuretia quercifolia</i>	
3		7	123	Rottnest	<i>Leveillia jungemanioides</i>	On fucoids
3		8	123	Fremantle	<i>Leveillia jungemanioides</i>	On fucoids
3		9	501	Port Fairy	<i>Amansia linearis</i>	∅.c.&s.

3		10	501	Port Fairy	<i>Amansia linearis</i>	Ø.c.
3		11	113	Garden Island	<i>Lenormandia spectabilis</i>	
3		12	113	Rottnest	<i>Lenormandia spectabilis</i>	
3		13	495	Port Fairy	<i>Lenormandia mulleri</i>	
3		14	561	Georgetown	<i>Lenormandia marginata</i>	
3		15	110	Garden Island	<i>Dictyomenia fimbriata</i>	
3		16	20	Garden Island	<i>Dictyomenia spiralis</i>	
3		17	20	King George's Sound Middleton Bay	Unidentified	
3		18	61	Rottnest	<i>Kutzingia canaliculata</i>	
3		19	<del>494</del>	Western Port	<i>Rytiphloea</i>	(not catalogue)
3		20	180	Garden Island	<i>Alsidium opisulosum</i>	
3		21	557	Georgetown (VDL)	<i>Acanthophora tasmanica</i>	Dull seed arborea in Fl. Tasmanica (not tasmanica)
3	TYPE	22	224	Rottnest	<i>Acanthophora dendroides</i>	
3		23	31	King George's Sound	<i>Rytiphloea australasica</i>	tetraspores
3		24	130	Garden Island	<i>Sarcomenia delesserioides</i>	Var <i>lancifolia</i>
3		25	130	Garden Island	<i>Sarcomenia delesserioides</i>	Var <i>cirrhusa</i>
3		26	351	Pt. Phillip Head Shortlands Bluff	<i>Sarcomenia dasyoides</i>	Ø.c.
3		27	351	Pt. Phillip Head	<i>Sarcomenia dasyoides</i>	Ø
3		28	496	Port Fairy	<i>Chondria dendroides</i>	
3		29	273	Port Fairy	Unidentified	Ø.c.
3		30	114	Garden Island	<i>Chondria corynephora</i>	
3		31		King George's Sound	Unidentified	4 other sp.
3		32	293	Rocks high tide edge of surf	<i>Chondria dasyphylla</i>	
3		33	293	King George's Sound	<i>Chondria dasyphylla</i>	Slide of <i>Chondria harveyana</i> , original to 293, Photographs
3		33			<i>Chondria dasyphylla</i>	Photograph
3		34	29	Rottnest on Zostera	<i>Chondria sedifolia</i>	

3		35		Rottnest on Zostera	<i>Chondria sedifolia</i>	
3		36	125	Garden Island	<i>Laurencia elata</i>	
3		37		Rottnest	Unidentified	3 specimens (frond flat) when ___?
3		38	197	Rottnest	<i>Laurencia disticha</i>	
3	TYPE	39	196		<i>Laurencia grevilleana</i>	Young
3		40	103	Fremantle	<i>Laurencia fosteri</i>	
3		41	126	Fremantle	<i>Laurencia fosteri</i>	Var $\beta$ <i>elata</i>
3		42	505	Port Fairy	<i>Laurencia botryoides</i>	
3		43	507	Port Fairy	<i>Laurencia papillosa</i>	Var $\beta$ <i>verticillata</i>
3		44	506	Port Fairy	<i>Laurencia tasmanica</i>	
3		45	508	Port Fairy	<i>Laurencia virgata</i>	
3	TYPE	46	5	King George's Sound	<i>Laurencia regia</i>	
3		47	309	Cape Riche	<i>Laurencia arbuscula</i>	10
3		48	309	Rocks at high tide Western Port	<i>Laurencia arbuscula</i>	
3		49	67	King George's Sound	<i>Laurencia obtusa</i>	
3		50	67	Rottnest	Unidentified	
3		51	309	Cape Riche	<i>Laurencia arbuscula</i>	
3		52	6	Rottnest	<i>Laurencia</i>	
3		53	6	King George's Sound	<i>Laurencia</i>	
3	TYPE	54	209	Rottnest	<i>Laurencia cruciata</i>	
3		55	209		<i>Laurencia cruciata</i>	
3		56	7	King George's Sound	Unidentified	21
3		57	7	King George's Sound	Unidentified	
3	TYPE	58	210	Border reef Rottnest	<i>Laurencia heteroclada</i>	Fragment of TYPE, negatives also
3		59		Rottnest	Unidentified	Unidentified
3		60		Rottnest	Unidentified	3 specimens
3	TYPE	61	195	Rottnest	<i>Lomentaria zostericola</i>	Drawing
3		62	483	Georgetown (VDL)	<i>Champia tasmanica</i>	
3		63	483	Brighton Port Philip	<i>Champia tasmanica</i>	Var <i>fracta</i>

3		64	245	Rottnest	<i>Champia compressa</i>	
3		65	194		<i>Champia affinis</i> β	β
3		66	194		<i>Champia affinis</i>	
3		67	57	King Georges Sound	Unidentified	
3		68	57	Rottnest	<i>Champia parvula</i>	
3		69	57bis	Sydney NS Wales	Unidentified	
3		70		Sydney NS Wales	Unidentified	∅
3		71	361	Western Port	<i>Champia</i>	
3		72	504	Port Fairy	<i>Champia</i>	Near <i>C. obsoleta</i>
3		73	504	Port Fairy	<i>Champia</i>	Near <i>C. obsoleta</i>
3		74		Port Philip head	Unidentified	
4		1	562	Georgetown (VDL)	<i>Ptilonia tasmanica</i>	
4		2	502	Port Fairy	<i>Cladhymenia conferta</i>	
4		3	363	Western Port	<i>Delisia elegans</i>	
4		4	502	Port Fairy	<i>Cladhymenia conferta</i>	
4		5	364	Western Port	<i>Delisia hypneoides</i>	
4		6	364	Western Port	<i>Delisia hypneoides</i>	
4		7	239	Rottnest	<i>Delisia pulchra</i>	
4		8		New Castle , N. S. Wales	Unidentified	
4	Type	9	193	Garden Island	<i>Asparogopsis armata</i>	June , 1854
4	Type	10	193	Rottnest	<i>Asparogopsis armata</i>	n. sp.
4	Type	11	124	Rottnest	<i>Asparogopsis sanfoidiana</i>	Slide
4		12	198	Rottnest	<i>Wrangelia penicillata</i>	
4		13	198	Rottnest	<i>Wrangelia penicillata</i>	
4		14	109	Port Fairy	<i>Wrangelia howesia</i>	(unique) not cataloged
4		15	526	Port Fairy	<del><i>Bellia</i></del> <i>squarrosa</i>	Or <i>Callith</i> ? Very Rare or <i>Wranglia</i>
4	Type	16	108	Rottnest	<i>Wrangelia velutina</i>	Tetraspores
4		17	108	Rottnest	<i>Wrangelia velutina</i>	Cystocarps
4	Type	18	246		<i>Wrangelia myriophylloides</i>	Drawings

4	Type	19	127		<i>Wrangelia halurus</i>	<i>Halurus mollis</i> query <i>halurus</i> sp.
4	Type	20	213	Rottneest	<i>Wrangelia nitella</i>	
4	Type	21	40	King George's Sound	<i>Wrangelia agardhiana</i>	= <i>Muellerena agardhiana</i>
4		22	564	Georgetown (VDL)	<i>Delesseria lyallii</i> ?	
4		23	374	Phillip Island	<i>Delesseria endiviaefolia</i>	
4		24	461	Port Fairy	<i>Delesseria rigida</i>	
4		25	461	Pt. Phillip Head	<i>Delesseria rigida</i>	
4	Type	26	129	Fremantle	<i>Delesseria crispata</i>	Tetraspores, <i>Costa articulata</i>
4		27		Paramatta river	<i>Delesseria serrata</i>	ms
4	Type	28	269	Arthurs Head , Fremantle	<i>Delesseria dendroides</i>	Branches, stem terete, not winged, 2-3 lines thick, fleshy
4		29	203	Rottneest	<i>Delesseria spathulata</i> ?	
4		30	203		Unidentified	∅.c.
4		31	203	Garden Island	Unidentified	
4		32	512	Pt. Fairy, River Moynes	<i>Delesseria lepricourii</i>	
4		33	312	Rottneest	<i>Delesseria crispata</i>	(unique)
4		34	312	King George's Sound	<i>Hemineura crispata</i>	
4		35	373	Phillip Island	<i>Hemineura frondosa</i>	
4		36	573	Port Fairy	<i>Hemineura lanceolata</i>	ms
4		37	312	Rottneest	<i>Delesseria crispata</i>	<i>Hemineura</i> , Unique C
4		38	459	Pt. Phillip Head	<i>Nitophyllum gunnianum</i>	
4		39	516	Port Fairy	<i>Nitophyllum curdieanum</i>	
4		40	460	Pt. Phillip Head	<i>Nitophyllum multipartitum</i>	
4		41	460	Pt. Phillip Head	<i>Nitophyllum multipartitum</i>	
4		42	566	Georgetown (VDL)	<i>Nitophyllum affine</i>	∅.t.
4		43	131	Rottneest	<i>Nitophyllum cartilagineum</i>	
4	Type	44	131	Garden Island	<i>Nitophyllum cartilagineum</i>	
4		45	431	Port Fairy	<i>Nitophyllum pristoideum</i>	
4		46	431	Pt. Phillip Head	<i>Nitophyllum pristoideum</i>	Var B. <i>major</i>

4		47	432	Pt. Phillip Head	<i>Nitophyllum crispum</i>	
4		48	432	Pt. Phillip Head	<i>Nitophyllum crispum</i>	= <i>Nitophyllum punctatum</i>
4	Type	49	60	King George's Sound	<i>Nitophyllum pulchellum</i>	= <i>Myriogramme pulchellum</i>
4		50	247	Rottnest	<i>Nitophyllum pulchellum</i>	
4		51	268	Garden Island	Unidentified	
4		52	515	Port Fairy	<i>Nitophyllum uncinatum</i>	ø.t.
4		53	515	Pory Fairy	<i>Nitophyllum uncinatum</i>	ø.c.
4		54	181	Garden Island	<i>Nitophyllum minus</i>	
4		55	30	King George's Sound	<i>Nitophyllum ciliolatum</i>	
4		56	141	Garden Island	Unidentified	<i>Sphaecoccea</i> N.gen?
4		57	5	Fremantle	Unidentified	27/07/19854 G.C.
4	Type	58	132	Garden Island	<i>Calliblepharis conspersa</i>	
4		59	138	Fremantle	<i>Rhodophyllis blephari</i>	ø.c. <i>R.preissiana</i> not of sond
4		60	98	King George's Sound	<i>Calliblepharis ? pannosa</i>	<i>C. preissiana</i> sond
4	Type	61	98	Rottnest	<i>Calliblepharis pannosa</i>	<i>C. preissiana</i> sond
4		62	166	Fremantle	<i>Gracilaria confervoides</i>	
4		63	95	King George's Sound	<i>Gracilaria</i>	Sp.
4		64	178	Rottnest	<i>Gracilaria dactyloides</i>	
4		65	441	Port Fairy	<i>Curdiea lanciniata</i>	ø.t. drawing...emathicia
4		66	441	Port Phillip Head	<i>Curdiea lanciniata</i>	
4		67	520	Port Fairy	<i>Curdiea</i>	
4		68	105	Rottnest	<i>Thynanocladia ??oppositifolia</i>	
4		69	165	Rottnest	<i>Thysanocladia oppositifolia</i>	
4		70	134	Rotnest	<i>Phacelocarpus labillardieii</i>	
4	Type	71	261	Rottnest	<i>Phacelocarpus alatus</i>	
4		72	518	Port Fairy	<i>Phacelocarpus complanatus</i>	
4		73	445	Port Philip Head	<i>Heringia ? furcata</i>	
4		74	133	Garden Island	<i>Dicranema filiforme</i>	
4		75	128	Cape Riche	<i>Dicranema revolutum</i>	



4	Type	76	97	Rottnest	<i>Dicranema grevillii</i>	
4	Type	77	80	King George's Sound	<i>Dicranema pusillum</i>	Type of <i>Mychodea pusilla</i>
4		78	433	Pt. Phillip Head	<i>Melanthalia obtusata</i>	
4		79	517	Port Fairy	<i>Melanthalia intermedia</i>	
4		80	422	Port Phillip, short lands bluff	<i>Thamnoclonium hirsutum</i>	
4		81	318	King George's Sound	<i>Thamnoclonium proliferum</i>	
5		1	109	Garden Island	<i>Dasya macroura</i>	
5		2		Rottnest	<i>Dasya villosa</i>	
5		3			Unidentified	
5		4	109	Pt. Phillip	<i>Dasya villosa</i>	
5		5		Cape Riche	<i>Dasya elongata</i>	var
5	LECTO TYPE	6	303	Rottnest	<i>Dasya frutescens</i>	3 Specimens , drawings, stichidia
5		7	303	Rottnest	<i>Dasya frutescens</i>	drawings
5	SYNT YPE	8	303	Rottnest	<i>Dasya frutescens</i>	Cystocarps , drawings
5		9	212	Rottnest	<i>Dasya lallemandi</i>	<i>Dasya, (gracilis)</i> , ms, drawings, 4 tubes
5		10	357	Western Port	<i>Dasya maccarioides</i>	
5		11	360	Western Port	<i>Dasya ?? maccarioides</i>	Not cataloged
5	LECTO TYPE	12	164	Rottnest	<i>Dasya cliftoni</i>	
5	TYPE	13	32	King George's Sound	<i>Dasya plumigera</i>	January, dredged
5	TYPE	14	251	Rottnest, Jetty	<i>Dasya multiceps</i>	Drawing branch
5		15		Port Jackson	Unidentified	Not cataloged
5		16	106		<i>Dasya callithamnion</i>	Drawing, stem articulate, ? <i>Pol callithamnion</i>
5		17	106	Fremantle	<i>Dasya callithamnion</i>	On <i>Caulinia</i>
5		18		Fremantle, Swan river	<i>Dasya rhizocarpa</i>	N.Sp. G.Clifton, 1834, cystocarps
5		19	424	Pt. Phillip Head	<i>Dasya laurenciana</i>	

5		20	211	Rottneest	<i>Dasya gunniana</i>	
5		21	558	Georgetown (VDL)	<i>Dasya capillaris</i> ?	ø.c.
5		22	78	Fremantle	<i>Dasya tenera</i>	
5		23	352	Western Port	Unidentified	ø.c.t.
5		24	355	Georgetown (VDL)	<i>Dasya bolbochaete</i>	branchlet
5		25	353	Port Phillip	<i>Polysiphonia hookeri</i>	
5		26	353	Western Port	<i>Polysiphonia hookeri</i> ?	
5		27	353	Port Phillip	<i>Polysiphonia hookeri</i>	ø.c.
5		28	471	Geelong	<i>Polysiphonia</i>	Drawings, small branch, near 353
5		29	479	Georgetown (VDL)	<i>Polysiphonia</i>	Tide rocks, half tide, pale brown
5		30	479	Pt. Phillip	<i>Polysiphonia</i>	Near <i>P. hookeri</i>
5		31	471	Geelong	<i>Polysiphonia</i>	young plant, Sept, near 353
5		32	117	Garden Island	<i>Polysiphonia mallardiae</i>	
5		33	121	Garden Island	<i>Polysiphonia hystrix</i>	
5		34			Unidentified	
5		35	22	King George's Sound	<i>Polysiphonia infestans</i>	Drawings, base of stem walls ?thick
5	TYPE	36	187	Rottneest	<i>Polysiphonia scopulorum</i>	Drawing, conceptacles
5		37	120	Fremantle	<i>Polysiphonia mollis</i>	
5		38	476	Port Phillip	<i>Polysiphonia</i>	Near <i>fibrata</i>
5		39	188	Rottneest	<i>Polysiphonia breviarticulata</i>	
5		40	79	King George's Sound	<i>Polysiphonia implexa</i>	drawing
5		41	118	Fremantle	<i>Polysiphonia havanensis</i>	On old wreck
5		42	118		<i>Polysiphonia havanensis</i>	
5		43	271	Geelong	<i>Polysiphonia cladostephus</i>	
5		44	35	King George's Sound	<i>Polysiphonia cancellata</i>	
5		45	470	Geelong	<i>Polysiphonia fuscescens</i>	
5		46	122	Rottneest	Unidentified	
5		47	122	Garden Island	<i>Polysiphonia nigrita</i>	drawing
5		48	478	Port Phillip	<i>Polysiphonia blandii</i>	ø.c. N.sp.

5	TYPE	49	186	Rottneest	<i>Polysiphonia forcipata</i>	drawing
5		50	186	Rottneest	<i>Polysiphonia forcipata</i>	
5		51	358	Port Phillip	<i>Polysiphonia victoria</i>	
5		52	477	Port Phillip	<i>Polysiphonia succulenta</i>	N. sp.
5		53		King George's Sound	<i>Polysiphonia neglecta</i>	Cysto
5		54	472	Williamstown	<i>Polysiphonia</i>	Drawings, N.sp. near <i>P. tenuistriata</i>
5		55	11	King George's Sound	<i>Polysiphonia neglecta</i>	Pol. (Not determined)
5		56		Port Jackson	Unidentified	
5		57	36?	Port Phillip	<i>Polysiphonia versicolor</i> ?	? var <i>melaluca</i>
5		58	36	Geelong	<i>Polysiphonia versicolor</i>	
5		59	36-37	King George's Sound	<i>Polysiphonia versicolor</i>	2 varieties A and B
5		60	36	King George's Sound	<i>Polysiphonia versicolor</i>	
5		61	354	Western Port	<i>Polysiphonia versicolor</i>	
5		62	115	Rottneest	<i>Polysiphonia rostrata</i>	Conceptacul.....
5		63	115		<i>Polysiphonia rostrata</i>	
5		64	12	King George's Sound	<i>Polysiphonia pennata</i>	Ms <i>Polysiphonia pectinella</i> B
5		65	500	Rottneest	<i>Polysiphonia filipendula</i>	
5		66	500	Port Fairy	<i>Polysiphonia filipendula</i>	
5		67	480	Pt. Phillip	<i>Polysiphonia dendritica</i>	
5	TYPE	68	38	King George's Sound	<i>Polysiphonia pectinella</i>	Drawing stem
5		69		Port Fairy	Unidentified	ø.c.
5		70	47	King George's Sound	<i>Polysiphonia obscura</i>	
5		71		Port Jackson	Unidentified	
5		72	284	Port Fairy	<i>Polyzonia incisa</i>	
5		73	284	Garden Island	<i>Polyzonia sonderi</i>	On algae
5		74	34	Garden Island	<i>Polyzonia flaccida</i>	ø.s.
5	TYPE	75	34	King George's Sound	<i>Polyzonia flaccida</i>	
5		76	473	Port Phillip	<i>Rhodomela simpliciuscula</i>	
5		77	473	Port Phillip	<i>Rhodomela simpliciuscula</i>	ø.c & t.

5		78		Port Arthur	<i>Bostrychia</i>	Stones Near High Water
5		79	503	Port Fairy, In the river Moyne below the bridge at Belfast.	<i>Bostrychia rivularis</i>	Drawing
6		1		Champion Bay , Mn. Drummond	<i>Struvea macrophylla</i>	(unique)-missing
6		2	216	Rottnest	<i>Struvea plumosa</i>	Young. Envelope empty
6		3	418	Phillip Island	<i>Apjohnia latevirens</i>	
6		4	1	King George's Sound, Princess Royal Harbour	<i>Polyphysa peniculus</i>	Jan. 1854
6		5		Port Jackson	<i>Microdictyon</i>	
6		6	160	Fremantle	<i>Dictyosphaeria sericea</i>	
6		7	249	Brighton , Port Phillip	<i>Bryopsis</i>	
6		8	249	Rottnest	Unidentified	
6		9	249	Rottnest	Unidentified	
6		10	249	Rottnest	Unidentified	
6		11	175	Garden Island	<i>Bryopsis</i>	
6		12	175	Rottnest	<i>Bryopsis?</i>	
6		13		Rottnest	<i>Bryopsis?</i>	
6		14		Rottnest	<i>Bryopsis?</i>	
6		15		Rottnest	Unidentified	
6		16		Rottnest	<i>Bryopsis?</i>	
6		17		Rottnest	Unidentified	
6		18		Garden Island	<i>Bryopsis?</i>	
6		19	161	Rottnest	Unidentified	
6		20	161	Rottnest	Unidentified	
6		21	469	Geelong	<i>Bryopsis plumosa?</i>	
6		22	45	Rottnest	<i>Codium tomentosum</i>	
6		23	543	Port Fairy	<i>Codium bursa</i>	Var <i>australe</i> Solid
6		24	162		<i>Codium mamillosum</i>	
6		24B		King George's Sound	<i>Codium spongiosum</i>	Drawings

6		25	204	Rottnest	<i>Penicillus arbuscula</i>	
6		26	226	Cape Riche	<i>Halimeda macroloba</i>	
6		27	492	Brighton , Pt, Phillip	<i>Cladophora bainesii</i>	
6		28	492	Georgetown (VDL)	<i>Cladophora bainesii</i>	
6		29	575	Georgetown	<i>Cladophora?</i>	
6		30	176	Fremantle	<i>Cladophora</i>	
6		31	177	Fremantle	<i>Cladophora</i>	
6		32	55	Rottnest	<i>Cladophora valonioides</i>	
6		33	55	King George's Sound	Unidentified	
6		34	574	Georgetown	<i>Cladophora feredayi</i>	
6		35	333	Brighton , Port Phillip	<i>Cladophora</i>	
6		36	46	King George's Sound	Unidentified	
6		37	333	King George's Sound	Unidentified	34sp
6		38	275	Jetty reef,Rottnest	<i>Cladophora pellucida ?</i>	June
6		39		King George's Sound	Unidentified	
6		40		Jetty reef, Rottnest	<i>Cladophora</i>	
6		41		Port Fairy	<i>Cladophora?</i>	3p. Not distributed
6		42		Fremantle	Unidentified	2 more sp
6		43	457	Port Phillip Head	<i>Conferva valida?</i>	
6		44		King George's Sound	Unidentified	
6		45	417	Princess Royal harbour, Phillip Island	<i>Conferva darwinii</i>	
6		46	19	King George's Sound	<i>Rivularia</i>	
6		47	298	Cape Riche	<i>Rivularia australis</i>	Drawings,rocks near low water mark, fronds hemispherica solitaria solida lubrica olivacea,viridi,uncia,diametro
6		48	493	Port Phillip	<i>Rivularia nitida</i>	On rocks
6		49		Cape Riche	Unidentified	10 sp.
6		50		Boarder reef, Rottnest	Unidentified	In the roots of <i>chondria</i> . 2 sp. more

6		51	335	Cape Riche	Unidentified	15 sp.
6		52	334	Cape Riche	Unidentified	60 Sp.
6		53	541	Port Fairy	<i>Lyngbya</i>	
6		54		Garden Island	Unidentified	
6		55		Fremantle	Unidentified	
6		56	71	King George's Sound	Unidentified	
6		57			Unidentified	
6		58		Rottneest	Unidentified	
6		59	418	Phillip Island	<i>Enteromorpha clathrata</i>	Parasitic on <i>hormosira</i>
6		60	540	Port Fairy	<i>Porphyra laciniata</i>	